H. K. PORTER, INC. CUTTER and INDUSTRIAL DIVISION 74 FOLEY ST. — SOMERVILLE 43, MASS.

LIST PRICES

EFFECTIVE JULY 20, 1959

GUARANTEE

All Porter products are guaranteed against any defect in workmanship or material without time limit. Any material claimed defective must be returned to the factory for inspection before any adjustment can be made. Items returned for repair should be sent prepaid.

REPLACEMENTS OR REPAIRS

1. Return of unsatisfactory tool or part which has not been abused: When it is clearly demonstrated, thru final inspection at the factory, that an item is defective as to material or labor, such defective item will be replaced with a new item, free of charge, except that if the item can be repaired it shall be repaired free of charge.

2. Return of tool or part which has been abused:


When it is clearly demonstrated, thru final inspection at the factory, that a unit has been abused and is NOT defective as to material or labor, such item will NOT be replaced free of charge, or if the item can be repaired it shall be repaired at the customer's expense, after first obtaining the customer's approval. All transportation charges are to be paid by the customer.


| | And in case of the last of the | HTS - MAJOR PAI | RTS DE LES |
|------|--|-----------------|-----------------|
| SIZE | PAIR OF JAWS | CUTTERHEAD | PAIR OF HANDLES |
| 12 | 1/4 | 1/2 | 11/4 |
| 14 | 1/2 | 3/4 | 13/4 |
| 0 | 3/4 | 11/4 | 21/2 |
| 1 | 11/4 | 13/4 | 41/2 |
| 2 | 2 | 3 | 61/4 |
| 3 | 3 08 91 | 41/2 | 10 |
| 5 | 41/4 | 6 | 113/4 |

FOR DISCONTINUED ITEMS SEE PAGE 8


| | 101112 | 101 | COM | PLETE TOOLS | | COM | PLETE CU | TTER HEADS | PAI | RS OF JA | WS ONLY |
|---------|---------|------------------------------|------------------------------|---------------|-------------------|-----------|---------------|-------------------|-------------|-----------------------|---------|
| OLD NO. | NEW NO. | APPROX. LENGTH OF TOOL | APPROX. WEIGHT IN LBS. | LIST PRICE | A 1 (187 E | NEW NO. | LIST PRICE | 19,20 5% 23.50 | NEW NO. | LIST PRICE | MT 6 |
| | 21.10 | MT 212 | | 1-0% | HAND | KLIP CUTT | ERS | | 36" | 290 TM | |
| 6 A | 690 A | 9" | 14 oz. | 8.00 | TO HT E | | _ | | 7-2 | 190-061 | HT E |
| 6 C | 690 C | 9" | 14 oz. | 7.60 | | | _ | | Not. | 19 91- 091 | |
| | | | 1 | | BOX S | TRAP CUT | TERS | | | | |
| 6 T | 690 T | 9" | 14 oz. | 7.80 | | | - | | TO THE ST | - | |
| 8 T | 890 T | 8" | 12 oz. | 6.60 | 3 CL 33. | _ | _ | | - | - | |
| M 34 | 990 T | 9" | 1 | 8.50 | | - | Se | ee Parts Diagram | n on Page 8 | | |
| NEW | 1290 T | 12" | 13/4 | 13.10 | | - | 1- | | - | _ | |
| NEW | 2690 K | 26" | 73/4 | 36.00 | | - | - | | -45 | 19-021 | |
| | 13,60 | SE SE | | 100 | No | 12 CUTT | co | | 1 AE 8 | 14 GDE | |
| 12 | 1290 NE | 12" | 11/2 | 7.30 | NO. | 1213 NE | | | 1212 NE | 4.70 | |
| | 11.70 | 112.05 | | | NO | . 15 CUTT | ER | | Parker I | 190 25 | |
| 15 C | 1590 C | 15" | 11/2 | 7.50 | | 1513 C | 5.60 | | 1512 C | 4.50 | |
| | L | | | | CENTER | CUT CUT | TERS | 7.60 | | 303.05 | |
| 14 CC | 1490 C | 14" | 23/4 | 11.90 | ACTOR STATE | 1413 C | 6.90 | | 1412 C | 5.90 | |
| 0 CC | 090 C | 18" | 4 | 12.90 | | 013 C | 7.50 | 5/4 21.50 | 012 C | 6.50 | |
| 1 CC | 190 C | 24" | 61/4 | 16.00 | | 113 C | 8.90 | | 112 C | 7.60 | |
| 2 CC | 290 C | 30" | 91/4 | 20.60 | | 213 C | 11.10 | 0 54.40 | 212 C | 9.90 | |
| 3 CC | 390 C | 36" | 141/4 | 26.70 | | 313 C | 14.10 | 8 28.30 | 312 C | 12.40 | |
| 5 CC | 590 C | 42" | 173/4 | 38.50 | | 413 C | 17.00 | 0 54.40 | 412 C | 14.60 | |
| | 61.8 | 13 211 | | The second | CLIPPER | CUT CUT | TERS | | THE . | 57 0011 | |
| 14 NE | 1490 NE | 14" | 1 23/4 | 111.90 | A 1 4 1 2 3 1 1 1 | 1413 NE | | 0 3440 | 1412 NE | 5.90 | |
| ONE | 090 NE | 18" | 4 | 12.90 | | 013 NE | 7.50 | | 012 NE | 6.50 | |
| 1 NE | 190 NE | 24" | 61/4 | 16.00 | | 113 NE | 8.90 | 6 64.50 | 112 NE | 7.60 | |
| 2 NE | 290 NE | 30" | 91/4 | 20.60 | NI TEL | 213 NE | 11.10 | | 212 NE | 9.90 | |
| 3 NE | 390 NE | 36" | 141/4 | 26.70 | SS TET | 313 NE | 14.10 | 0 1 62.30 | 312 NE | 12.40 | |
| 5 NE | 590 NE | 42" | 173/4 | 38.50 | | 413 NE | 17.00 | | 412 NE | 14.60 | |

| | NAME OF THE OWNER OWNER OF THE OWNER | | COM | APLETE TO | LS COM | PLETE CUTTER HEADS | PA | RS OF JAWS ONLY |
|-----------------|---|-------------------|-------------------|-----------|----------------------|--|-------------------|-------------------|
| OLD NO. | NEW NO. | APPROX. LENGTH | APPROX. WEIGHT | LIST | NEW NO. | LIST | NEW NO. | LIST |
| | | OF TOOL | IN LBS. | PRICE | | PRICE | | PRICE |
| 14 RE | 1400 DE | 14" | 23/4 | 12.30 | CUTTERS with Round E | | 1412 RE | 6.20 |
| O RE | 1490 RE | 18" | 4 | 13.70 | 013 RE | 7.30 | 012 RE | 6.80 |
| 1 RE | 190 RE | 24" | 61/4 | 16.40 | 113 RE | | 112 RE | 8.20 |
| | 170 KL | | 1 0/4 | 10.40 | | | | 0.20 |
| 14 CCRE | 1490 CR | 14" | 23/4 | 12.30 | NTER CUT ROUND ED | | 1412 CR | 6.20 |
| O CCRE | 090 CR | 18" | 4 | 13.70 | 013 CR | 7.80 | 012 CR | 6.80 |
| 1 CCRE | 190 CR | 24" | 61/4 | 16.40 | 113 CR | | 112 CR | |
| 2 CCRE | 290 CR | 30" | 91/4 | 21.00 | 213 CR | 11.40 | 212 CR | |
| 3 CCRE | 390 CR | 36" | 141/4 | 27.10 | 313 CR | 14.70 | 312 CR | 12.90 |
| 5 CCRE | 590 CR | 42" | 173/4 | 39.10 | 413 CR | 17.60 | 412 CR | 15.20 |
| | | 25 1019 | Marin | ALBERTA | HEAVY DUTY CU | HERS | Fr W HEAVE | |
| 2 HD | 290 HD | 30" | 110 | 28.40 | 213 HD | The state of the s | 212 CR | 10.40 |
| 3 HD | 390 HD | 36" | 151/2 | 34.90 | 313 HD | TO THE PERSON NAMED IN COLUMN 1 | 312 CR | |
| 5 HD | 590 HD | 42" | 193/4 | 45.00 | 413 HD | | 412 CR | |
| 5 HDP | 590 JN | 42" | 281/4 | 157.60 | 413 HD | | 412 CR | |
| 5 HDPT | 590 JO | 42" | 401/4 | 171.60 | 413 HD | | 412 CR | |
| | | bello | 500 000 | 192 846 | diffication within | be appear out to | Dig The man | |
| Powerpull | 459 PR | - | 81/2 | 112.60 | and suggest to - | W- 9 to Desire | 87 <u>98-4</u> 65 | _ |
| Tripod | 480 TR | 11-12 | 12 | 14.00 | of all each to with | - 15 Fig. 10/51 | 99 18 10 | |
| | | | | | ANGULAR CUS | TERE | | |
| 14.4 | 1400 4 | 14" | 23/4 | 16.20 | ANGULAR CUT | 11.20 | 1412 A | 9.50 |
| 14 A | 1490 A | 24" | 61/4 | 21.10 | 113 A | 14.50 | 112 A | 12.60 |
| 3 A | 390 A | 36" | 141/4 | 33.30 | 313 A | 23.20 | 312 A | 20.60 |
| 3 ^ | 370 A | 30 | 114/4 | 33.30 | The second second | | UI.A | 120.00 |
| | | | 1 00/ | 1 | END CUTTER | | | 1 |
| 14 E | 1490 E | 14" | 23/4 | 14.30 | 1413 E | 9.30 | 1412 E | 8.20 |
| 1 E | 190 E | 24" | 61/2 | 19.40 | 113 E | 12.60 | 112 E | 10.90 |
| 3 E | 390 E | 36" | 141/4 | 32.30 | 313 E | 19.80 | 312 E | 17.70 |
| | | | | | SHEAR CUTTE | | | |
| 14 T | 1490 T | 14" | 23/4 | 19.70 | 1413 T | 14.40 | 1412 T | 13.60 |
| 1 T | 190 T | 24" | 61/4 | 24.20 | 113 T | 17.50 | 112 T | 16.20 |
| 3 T | 390 T | 36" | 141/2 | 33.90 | 313 T | 22.70 | 312 T | 21.10 |
| | | | | | NOTCHED SHEAR | CUTTERS | | |
| 14 TN | 1490 TN | 14" | 21/2 | 19.20 | 1413 TN | 14.40 | 1412 TN | 13.60 |
| 1 TN | 190 TN | 24" | 53/4 | 23.50 | 113 TN | 17.50 | 112 TN | 16.20 |
| 3 TN | 390 TN | 36" | 133/4 | 33.00 | 313 TN | 22.70 | 312 TN | 21.10 |
| 5 TN | 590 TN | 42" | 17 | 51.00 | 513 TN | 27.10 | 512 TN | 23.30 |
| 2 CN | 290 CN | 30" | 9 | 30.20 | 213 CN | 20.60 | 212 CN | 19.30 |
| | | | . 1 | | CABLE CUTT | RS | | |
| 5.CL | 590 CL | 43" | 201/2 | 53.30 | 413 CL | | 412 CL | 23.20 |
| 5 CLP | 590 JG | 43" | 29 | 166.10 | 413 CL | | 412 CL | 23.20 |
| S. 27 | | 1 | 1 200 | STORY. | CUCAD TYPE CASE | CUTTERS | | |
| 2 FH | 290 FH | 27" | 41/2 | 16.40 | SHEAR TYPE CABLE | 11.70 | 212 FH | 10.50 |
| 3 FH | 390 FH | 34" | 71/4 | 20.10 | 313 FH | | 312 FH | |
| 1 3 FM | 370 FM | 34 | 1 //4 | 120.10 | | | 4 | |
| | 11.000 | | | Laster | LEAD SHEATHED CA | | | 11170 |
| 1 LSC | 190 CS | 23 1/2 | | 29.70 | | - | 112 CS | |
| 3 LSC | 390 CS | 37'' | 103/4 | 31.80 | | - | 312 CS | 18.00 |
| 3 LSC HANDLE | 303 CS | - | | 7.60 | | | | |
| EXTENSION | 1 | 30.51 | | | BENCH CUTT | ERS | | 2 23 41 4 7 5 2 4 |
| 0 B | 7090 C | 161/4 | | 21.50 | 10.534 | _ | 012 B | 7.80 |
| 1 BC | 7190 C | 21" | 8 | 28.30 | 113 C | 8.90 | 112 C | 7.60 |
| 3 BCC | 7390 C | 34" | 20 | 54.40 | 313 C | 14.10 | 312 C | 12.40 |
| 1 BNE | 7190 NE | 21" | 8 | 28.30 | 113 N | | 112 NE | |
| 3 BNE | 7390 NE | 34" | 20 | 54.40 | 313 N | | 312 NE | |
| 1 BCCRE | 7190 CR | 21" | 8 | 28.70 | 113 C | | 112 CF | |
| 3 BCCRE | 7390 CR | 34" | 20 | 54.40 | 313 CI | 111111111111111111111111111111111111111 | 312 CF | |
| 1 BRE | 7190 RE | 21" | 8 | 28.70 | 113 RE | | 112 RE | |
| O BT | 7090 T | 17" | 6 | 64.50 | | 17.50 | 012 BT | |
| 1 BT | 7190 T | 21" | 8 | 36.60 | 113 T | 17.50 | 112 T | 21.10 |
| 3 BT | 7390 T | 34" | 20 | 62.30 | 313 T | 22.70 | 312 T | 121.10 |






PARTS FOR NO. 1490 - NO. 090 - NO. 190 - NO. 290 - NO. 390 CUTTERS



| DLS FOR NO. 390 TOOLS | LIST PART NO. PRICE | 315 15.90 | 315CH 36.00 | |
|-----------------------|---------------------|-----------|-------------|-----------|
| FOR NO. 290 TOOLS | LIST | 12.60 | 25.50 | 13.60 |
| FOR NO | PART NO. | 215 12 | 215 CH 25 | 215 CN 13 |
| FOR NO. 190 TOOLS | 2 WCC 3 WCC | | | |
| NO. 19 | LIST | 10.00 | 22.70 | 1 |
| FOR | PART NO. | 15 | 15 CH 22.70 | 1 |
| | DR C 1 | - | - | |
| o TOOLS | 30 tK | - | _ | |
| NO. 090 TOOLS | | 8.10 | 19.70 | ì |
| FOR NO. 090 TOOLS | 30 tK | 1 8.10 | | 1 |
| TOOLS | LIST | | 19.70 | ì |
| TOOLS | LIST | | 19.70 | 1 |
| | LIST PART NO. PRICE | 910 | 19.70 | |

| TO A C | | | | | | | | | | 2 4 2 | 200 CA . OF AC | 222 | 2 | 200000000000000000000000000000000000000 |
|---|------------|------|--|--------|-------|--|--------|-------|--|---------|----------------|---------------------------------------|---------|---|
| THURST THURST | PART | LIST | | PART | LIST | | PART | LIST | | PART | LIST | | PART | LIST |
| | | Luck | | NO. | THICE | | NO. | FRICE | | NO. | PRICE | | NO. | PRICE |
| Top Strap | 1420 | .85 | | 020 | 1.00 | | 120 | 1.15 | | 220 | 1.25 | | 320 | 1.55 |
| Bottom Strap | 1421 | .85 | | 021 | 1.00 | | 121 | 1.15 | | 221 | 1.25 | | 321 | 1.55 |
| Top Strap for "E" Cutters | 1420 E | .85 | | 1 | | - | 120 E | 1.15 | 50 | 1 | 1 | | 320 E | 1.55 |
| Bottom Strap for "E" Cutters | 1421 E | .85 | | 1 | 1 | | 121 € | 1.15 | | 1 | 1 | | 321 E | 1.55 |
| Top Strap or "A" Cutters | 1420 A | .85 | | 1 | 1 | | 120 A | 1.15 | | 1 | 1 | | 320 A | 1.55 |
| Bottom Strap for "A" Cutters | 1421 A | .85 | | 1 | 1 | | 121 A | 1.15 | | 1 | 1 | | 321 A | 1.55 |
| Top Strap for "HD" & "CB" Cutters | 1 | 1 | | ı | 1 | | 1 | 1 | | 220 HD | 4.20 | | 320 HD | 4.35 |
| Bottom Strap for "HD" & "CB" Cutters | rs – | 1 | | 1 | - | | 1 | 1 | | 221 HD | 4.20 | | 321 HD | 4.35 |
| Bottom Strap for "FC" Cutter | 1 | } | | 021 FC | 1.00 | | 121 FC | 8.70 | | 1 | 1 | | 321 FC | 11.85 |
| Jaw Bolt, Left Side, Right Thread | 1435 | .31 | | 035 | .39 | | 135 | .48 | | 235 | .57 | | 335 | -67 |
| Jaw Bolt, Right Side, Left Thread | 1436 | .31 | | 036 | 39 | | 136 | 48 | | 236 | 57 | | 336 | 47 |
| Jaw Bolts for "HD" & "CB" Cutters | - | 1 | | 1 | , | _ | 1 | 1 | | 1 | 1 | | 1 | 1 |
| Left Side, Right Thread | + | 1 | | 1 | 1 | | 1 | 1 | | 235 HD | 127 | | 335 HD | 1.43 |
| Right Side, Left Thread | 1 | - | | 1 | 1 | | 1 | 1 | bei | 236 HD | 1 27 | | 336 HD | 1.43 |
| Lock Plate | 1456 | .33 | 28 | 056 | 36 | 77 | 156 | 38 | 10 TO | 256 | 43 | | 356 | |
| Lock Plate Screw | 157 | .07 | | 157 | 07 | | 157 | 07 | | 257 | 101 | | 25.7 | .40 |
| Cutterhead — Less jaws | 1424 | 2.10 | | 024 | 2.30 | _ | 124 | 2.50 | 100 | 224 | 3.00 | | 324 | 0 4 |
| Right Handle, no parts | 1401 | 2.25 | | 100 | 2.60 | _ | 101 | 3.40 | 821 | 201 | 410 | 1040 | 301 | 3.73 |
| Left Handle, no parts | 1402 | 2.25 | | 000 | 2 60 | | 102 | 3.40 | | 200 | 7.10 | No. | 300 | 2.03 |
| - | 1484 | .20 | | 084 | 21 | H | 184 | 26 | 10 | 204 | 30 | 1 | 2007 | 2.63 |
| Right Handle Complete | 1405 | 3.80 | | 005 | 01. | SE P | 104 | 404 | ST TON | 107 | 3 | 10 8 17 | 100 | .30 |
| Left Handle Complete | 1406 | 3.80 | | 900 | 101 | 1 | 3 2 | 405 | 200 | 202 | 6.70 | | 303 | 8.35 |
| Dinh Adinting Continue Dine | 1402 | 115 | | 900 | 4.10 | The state of the s | 001 | 4.75 | The state of the s | 200 | 6.70 | 100 | 300 | 8.35 |
| Angli Adjusting Section & River | 1403 | 21. | | 003 | 67.1 | - | 103 | 1.43 | ols | 203 | 1.65 | | 303 | 1.90 |
| Pint Adjusting Section & River | 1404 | 21:1 | | 004 | 1.25 | | 104 | 1.45 | To a large | 204 | 1.65 | | 304 | 1.90 |
| Kight Adjusting Section for ZCN Cutter | l lei | 1 | Y S | 1 | 1 | | 1 | 1 | | 203 CN | 1.85 | | 1 | 1 |
| Left Adjusting Section for "2CN" Cutter | | 1 | | 1 | 1 | _ | 1 | 1 | | 204 CN | 1.85 | | - | 1 |
| Right Handle Complete for "2CN" Cutter | er | - | | 1 | 1 | | 1 | 1 | | 205 CN | 7.05 | | J | 1 |
| Left Handle Complete for "2CN" Cutter | | 1 | | 1 | 1 | 0411 | 1 | 1 | 141 | 206 CN | 7.05 | | 1 | 1 |
| Handle Center Bolt, Right Thread | 1427 | .27 | The state of the s | 027 | .29 | N I | 127 | .33 | | 227 | .38 | | 327 | .45 |
| Conn. Bolt, Left Side, Right Thread | 1427 | .27 | | 027 | .29 | T i | 127 | .33 | 27 | 227 | .38 | The same | 327 | .45 |
| Conn. Bolt, Right Side, Left Thread | 1428 | .27 | | 028 | .29 | 181 | 128 | .33 | | 228 | 38 | | 328 | .45 |
| Conn. Bolt Lockwasher | 1475 | .04 | 97 | 075 | 40. | 3 10 | 175 | 10. | | 275 | 04 | | 375 | 0.5 |
| Section Adjusting Set Screw | 038 | .29 | | 038 | 29 | 5 C | 138 | .33 | e and | 238 | 30 | 75 | 338 | 45 |
| Eyebolt, Nut, & Rivet | 025 S | .42 | Š., | 025 5 | 42 | 140 | 125 5 | 46 | 7 | 225 5 | 52 | | 325 5 | 09 |
| Buffer Assembly | 1431 | .24 | | 031 | 30 | 101 | 131 | 31 | _ | 231 | 33 | | 331 | 34 |
| Throat Spring | 1458 | .15 | | 1458 | .15 | 111 | 158 | 17 | | 258 | 10 | To the last | 358 | 21 |
| Automatic Hook for "FC" Cutter | | 1 | | 051 FC | 3.10 | 100 | 151 FC | 5.95 | | 1 | I | | 351 FC | 1010 |
| Check Nut for "T" Shear | 1493 T | 117 | 110 | 1 | 1 | WB | 193 T | 19 | 1 | 1 | 1 | | 393 T | 21 |
| Blade Pivot Bolt Assembly for "T" Shear | ar 1492 TS | .71 | | 1 | 1 | | 192 TS | 68. | - | ! | 1 | | 392 TS | 1.00 |
| Blade Pivot Bolt Assembly for TN & CN | 1492 TNS | .71 | | 1 | - | 1 | 92 TNS | -89 | | 292 CNS | 95 | | 392 TNS | 1.10 |
| Wiping Screw Assembly for TN & CN | 1 | 1 | | 1 | 1 | | 138 TN | .34 | | 238 CN | 40 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 338 TN | .48 |
| Keeper for "T" Shear | 1454 T | 2.35 | The last | 1 | 1 | | 154 T | 2.50 | | 1 | 1 | | 354 T | 2.95 |
| Thumb Screw for "T" Shear | 1455 T | .48 | 9 | 1 | | | 155 T | .59 | | - | 1 | | 355 T | 72 |
| Right Cohardite Handle, no parts | | 1 | | 001 CH | 7.85 | | 101 CH | 9.30 | | 201 CH | 10.50 | | 301 CH | 15.35 |
| Left Cohardite Handle, no parts | 1 | 1 | | 002 CH | 7.85 | | 102 CH | 9.30 | | 202 CH | 10.50 | | 302 CH | 15.35 |
| Right Cohardite Handle, Complete | - | 1 | | 005 CH | 10.20 | | 105 CH | 11.85 | | 20 K CH | 13.40 | | 305 CH | 10.30 |
| Left Cohardite Handle, Complete | 1 | 1 | | | | 1 | | | | 2000 | 01.0 | | | 200 |



PARTS FOR NO. 490 AND NO. 590 CUTTERS


| These Parts | Fit No. 490 | and No. 590 | Tools Ex | cept as Noted |
|-------------|-------------|-------------|----------|---------------|


| PART NAME | PART NO. | LIST |
|-----------------------------------|-------------|------|
| Top Strap | 420 | 1.80 |
| Bottom Strap | 421 | 1.80 |
| Top Strap for HD Cutters | 420 HD | 5.25 |
| Bottom Strap for HD Cutters | 421 HD | 5.25 |
| Top Strap for CL Cutters | 420 CL | 5.25 |
| Bottom Strap for CL Cutters | 421 CL | 5.25 |
| Jaw Bolt, Left Side, Right Thread | 435 | .77 |
| Jaw Bolt, Right Side, Left Thread | 436 | .77 |
| Jaw Bolts for HD & CL Cutters | | |
| Left Side, Right Thread | 435 HD | 1.55 |
| Right Side, Left Thread | 436 HD | 1.55 |
| Lock Plate | 456 | .54 |
| Lock Plate Screw | 257 | .10 |
| Cutterhead — Less Jaws | 424 | 4.50 |
| Throat Spring | 458 | .24 |
| Pin Between Jaws | 414 | .31 |

| PARTS FOR NO. | 490 TOOLS ONL | |
|--|---------------|-------|
| Right Handle, no parts | 401 | 11.65 |
| Left Handle, no parts | 402 | 11.65 |
| Right Handle, Complete | 405 | 14.00 |
| Left Handle, Complete | 406 | 14.00 |
| Handle Bushing | 484 | .42 |
| Right Adjusting Section and Rivet | 403 | 2.35 |
| Left Adjusting Section and Rivet | 404 | 2.35 |
| Section Rivet | 487 | .04 |
| Handle Center Bolt, Right Thread | 427 | .49 |
| Connecting Bolt, Left Side, Right Thread | 427 | .49 |
| Connecting Bolt, Right Side, Left Thread | 428 | .49 |
| Connecting Bolt Lockwasher | 475 | .05 |
| Handle Adjusting Screw | 437 | .43 |
| Section Adjusting Screw | 438 | .49 |
| Buffer Assembly | 431 | .39 |

| | | | TOOLE | OBILV |
|-----------|-----|-----|-------|-------|
| PARTS FOR | NO. | 590 | 10013 | UNLT |
| | | | | |


| PAIR HANDLES COMPLETE | 515 | 27.35 |
|---------------------------------|-------|-------|
| Right Handle Complete | 505 | 13.70 |
| Left Handle Complete | 506 | 13.70 |
| Section Rivet | 587 | .07 |
| Left Top Cheek and Rivet | 504 | 2.30 |
| Left Bottom Cheek and Rivet | 503 | 2.30 |
| Cheek Adjusting Screw and Nut | 538 5 | .64 |
| Cheek Adjusting Block and Rivet | 537 | 1.15 |
| Connecting Bolt | 527 | .29 |
| Connecting Bolt Nut | 566 | .40 |





| PART NAME | | PART NO. | LIST |
|-------------------------|-----|-------------|------|
| Handle | ea. | 001 B | 3.05 |
| Base | ea. | 002 B | 3.60 |
| Right Link | ea. | 003 B | 1.15 |
| Left Link | ea. | 004 B | 1.15 |
| Lag Screw | ea. | 008 B | .18 |
| Right Bracket | ea. | 020 B | 4.45 |
| Left Bracket | ea. | 021 B | 4.45 |
| Jaw Bolt | ea. | 035 B | .35 |
| Bracket Screw | ea. | 023 B | .16 |
| Handle Connecting Bolt | ea. | 027 B | .31 |
| Bracket Connecting Bolt | ea. | 028 B | .31 |
| Buffer Assembly | ea. | 031 B | .37 |
| Adjusting Bolt and Nut | ea. | 038 BS | .62 |


| NO. 7190 BE | NCH CL | ITTER P | ARTS |
|-----------------------------|--------|---------|-------|
| Base | ea. | 120 B | 13.55 |
| Link | ea. | 103 B | 3.40 |
| Bracket Connecting Bolt | ea. | 127 B | .51 |
| Bracket Connecting Bolt Nut | ea. | 293 F | .13 |
| Bracket Locking Screw | ea. | 138 B | .33 |
| Link Connecting Pin | ea. | 114 B | .34 |
| Handle Complete | ea. | 105 B | 5.00 |
| Handle Connecting Bolt | ea. | 128 | .33 |
| Lockwasher | ea. | 175 | .04 |





| NO. 7390 BENCH | CU | TTER PA | RTS |
|-------------------------------------|-----|---------|-------|
| Base | ea. | 320 B | 21.50 |
| Link | ea. | 303 B | 3.40 |
| Locking Screw | ea. | 437 | .43 |
| Connecting Bolt — Jaw to Base | ea. | 338 B | .80 |
| Nut for Conn. Bolt — Jaw to Base | ea. | 366 B | .23 |
| Connecting Bolt — Handle to Base | ea. | 327 B | .80 |
| Nut for Conn. Bolt — Handle to Base | ea. | 566 | .40 |
| Connecting Pin - Link to Jaw | ea. | 314 B | .29 |
| Connecting Bolt — Handle to Link | ea. | 527 | .29 |
| Nut for Conn. Bolt — Handle to Link | ea. | 566 | .40 |
| Handle Complete | ea. | 306 B | 18.40 |
| Handle — no parts | ea. | 301 B | 12.50 |
| Right Section Cheek and Rivet | ea. | 503 | 2.30 |
| Left Section Cheek and Rivet | ea. | 504 | 2.30 |
| Adjusting Block | ea. | 537 | 1.15 |
| Adjusting Screw and Nut | ea. | 538 S | .64 |




| NO. 390 LK LINE | (MA | STER PAI | RTS |
|--|-----|----------|------|
| Right Jaw (with rest) | ea. | 310 LK | 5.45 |
| Left Jaw (without rest) | ea. | 311 LK | 5.45 |
| Pivot Bolt Assembly (Bolt, Nut, Star and Sub Washer) | ea. | 392 LKS | .70 |
| Connecting Bolt Assembly (Bolt, Nut, Star and Sub Washer) | ea. | 327 LKS | .54 |
| Right Handle | | 301 LK | 4.50 |
| Left Handle | | 301 LK | 4.50 |
| Pair Handles Complete (with Conn. Bolt Assemblies) | ea. | 315 LK | 8.70 |









| GIN PART NAME | PART NO. | LIST PRICE |
|--|-------------|---------------|
| Bottom Strap e | a. 1221 | .75 |
| Top Strap | a. 1220 | .75 |
| Jaw Bolt, Left Side Right Thread | n. 1235 | .23 |
| Jaw Bolt, Right Side, Left Thread | a. 1236 | .23 |
| Lock Plate e | a. 1256 | .21 |
| Lock Plate Screw | n. 157 | .07 |
| Cutterhead — Less Jaws e | o. 1224 | 1.80 |
| Handle, Left, no parts | 1202 | 1.70 |
| Handle, Right, no parts e | a. 1201 | 1.70 |
| Handle Bushing e | n. 1284 | .16 |
| Handles, pairs, Complete pa | ir 1215 | 3.40 |
| Handle Center Bolt, Right Thread e | a. 1227 | .23 |
| Conn. Bolt, Right Thread, Left Side en | a. 1227 | .23 |
| Conn. Bolt, Left Thread, Right Side et | 1228 | .23 |
| Connecting Bolt Lockwasher ed | 1275 | .04 |
| Buffer ed | 1229 | .14 |
| Throat Spring ea | 1258 | .10 |

| NO. 3590 HYDRAU NO. 3590 B HYDRAUL | | | | RTS |
|---------------------------------------|-----|--------|-------|-----|
| Jack Only | ea. | 3530 | 57.80 | |
| Cutter Blade Only | eg. | 3510 | 12.70 | |
| Cutter Anvil Only | ea. | 3511 | 6.90 | |
| Bus Bar Bender Blade Only | ea. | 3510 B | 12.70 | |
| Bus Bar Bender Anvil Only | ea. | 3511 B | 6.90 | |

| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | NO. 990 T STRAP | CUTTER | PARTS |
|---------------------------------------|-----------------|--------|-------|
| Hook Blade | ea. | 910 T | 4.75 |
| Straight Blade | ea. | 911 T | 4.25 |
| Keeper | ea. | 954 T | .29 |
| Spring | ea. | 978 | .21 |
| Pivot Bolt Assembly | ea. | 992 TS | .27 |

| NO. 1290 1 | STRA | P CUTTER | PARTS |
|-------------------------|------|----------|-------|
| Lower Blade with Keeper | ea. | 1210 T | 8.50 |
| Upper Blade. | ea. | 1211 T | 5.30 |
| Pivot Bolt | eq. | 1292 T | .32 |
| Pivot Bolt Nut | ea. | 1293 T | .42 |

| NO. 1590 C | CUTTE | R PARTS | |
|--------------------------|-------|---------|------|
| Handles | pr. | 1515 | 4.00 |
| Jaw Pin | ea. | 1514 | .13 |
| Straps | ea. | 1520 | .48 |
| Handle Center Rivet | ea. | 1567 | .19 |
| Handle — Jaw Conn. Rivet | eo. | 1527 | .19 |
| Jaw Bolts | ea. | 367 F | .27 |
| Jaw Bolt Nut | ea. | 893 | .13 |

| DISCONTI | MILED | TOOLS |
|----------|-------|-------|

| | DISC |
|------------|---------------|
| TOOL NO. | LIST PRICE |
| 6 B & 6 BJ | 8.00 |
| 2 RE | 21.00 |
| 3 RE | 27.00 |
| 5 RE | Not Available |
| 14 N | 15.30 |
| 1 N | 20.40 |
| 3 N | Not Available |
| A CO | 18.70 |
| E CO | Not Available |
| 2 CB | 27.60 |
| 3 CB | 35.00 |
| 2 FT | Not Available |
| 3 FT | Not Available |
| O SH | Not Available |
| 1 SH | Not Available |
| 2 SH | Not Available |

Available until Stocks Exhausted

| TOOL NO. | LIST PRICE |
|----------|---------------|
| o shcc | Not Available |
| 1 SHCC | Not Available |
| 2 SHCC | Not Available |
| 3 HW | 50.00 |
| 4 HW | 59.40 |
| 4 TB | 62.30 |
| 1 X | 18.00 |
| 2 X | 22.00 |
| 3 X | Not Available |
| 0 HC | 15.20 |
| 1 RC | 18.30 |
| 3 RC | 28.50 |
| Unit W | 75.80 |